



By Sorelle - A Division of C & T International, Inc.

46 Whelan Road, East Rutherford, N.J. 07073 U.S.A.

Tel, +1(201) 531 1919 Fax, +1(201) 531 1920

Website: www.sorellefurniture.com

Princeton Elite Crib and Changer Assembly Instruction



Important Information:

Read all instructions **BEFORE** assembling crib.

KEEP INSTRUCTIONS FOR FUTURE USE.

Crib Warnings:**⚠️WARNING:**

- *Infants can suffocate on soft bedding. Never add a pillow or comforter. Never place additional padding under an infant.
- *Failure to follow these warnings and the assembly instructions could result in serious injury or death. **DO NOT** use this crib if you cannot exactly follow the accompanying instructions.
- *To reduce the risk of SIDS, pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.
- ***Strangulation Hazard:** STRINGS CAN CAUSE STRANGULATION! **Do not** place items with a string around a child's neck, such as hood strings or pacifier cords. **Do not** suspend strings over a crib or attach strings to toys.
- ***Strangulation Hazard:** To help prevent strangulation tighten all fasteners. A child can trap parts of the body or clothing on loose fasteners.
- ***Strangulation Hazard:** **Do not** place crib near window or patio door where cords from blinds or drapes may strangle a child.
- ***Fall Hazard:** When child is able to pull to a standing position, set mattress to lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out. This crib has an adjustable mattress support. For the convenience of the parent when the baby is very small, the mattress support may be used in the highest position. Important: with the mattress support and mattress in the highest position, be absolutely sure that the top of the front crib side is at least 3 inches higher than the top surface of the mattress. If it is not, lower the mattress support and the mattress to the next highest position.
- ***Fall Hazard:** Stop using crib when child begins to climb out or reaches a height of 35in. (89cm), whichever occurs first. The child should be placed in a youth or regular bed.
- *Check this product for damaged hardware, loose joints, loose bolts or other fasteners, missing parts, or sharp edges before and after assembly and frequently during use. Securely tighten loose bolts and other fasteners. **Do not use crib** if any parts are missing, damaged or broken. Contact C&T International Inc. for replacement parts and instructional literature if needed. Do not substitute parts.
- *Follow warnings on **all** products in a crib.
- *If refinishing, use a non-toxic finish specified for children's products.
- ***Never** use plastic shipping bags or other plastic film as mattress covers because they can cause suffocation.
- *Infants can suffocate in gaps between crib sides and a mattress that is too small.
- *Ensure a safe environment for the child by checking regularly, before placing the child in the crib, that every component is properly and securely in place.
- *To avoid head injury, do not allow any child to play underneath the crib.
- ***Never** add an accessory such as a bassinet or changing table that extends over the sleeping area.

CAUTION : ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27 1/4" (69CM) x 51 5/8" (131 CM) WITH A THICKNESS NOT EXCEEDING 6" (15CM).

Toddler Bed Warnings:**⚠️WARNING****INFANTS HAVE DIED IN TODDLER BEDS FROM ENTRAPMENT.**

Openings in and between bed parts can entrap head and neck of a small child.

NEVER use bed with children younger than 15 months.

ALWAYS follow assembly instructions.

The maximum user weight is 50lbs (22.7kg)

⚠️WARNING**STRANGULATION HAZARD**

NEVER place bed near windows where cords from blinds or drapes may strangle a child.

NEVER suspend strings over a bed.

NEVER place items with a string, cord, or ribbon, such as hood strings or pacifier cords, around a child's neck. These items may catch on bed parts.

⚠️CAUTION**ENTRAPMENT HAZARD**

To avoid dangerous gaps, any mattress used in this bed shall be a full-size crib mattress at least 51 5/8 in (1310mm) in length, 27 1/4 in (690mm) in width and 4 in (100mm) in thickness. The mattress thickness must not exceed 6 in (150mm).

Changing Table Warnings:**⚠️WARNING**

FALL HAZARD - to prevent death or serious injury, always keep child within arm's reach. Read all instructions before use of the changing table.

KEEP THESE INSTRUCTIONS IN A SAFE PLACE FOR FUTURE USE.

Inspect the changing table periodically. **Do not** use the changing table if it is damaged or broken. Contact C&T International Inc. with any questions.

Tighten all loose screws and bolts before each use.

The maximum recommended weight of the child is 30lbs for the changing table.

Use only the pad provided by C&T International Inc. or Manufacturer's

Always secure the pad to the changing surface by inserting the strap through the hole in the middle of the pad. See Instructions.

NEVER use crib without Changing Table attached

NOTES ON ASSEMBLY:

- During the assembly process whenever using screws or bolts, check each by placing the screw/bolt on the diagram of the item which is drawn actual size and design. Be sure to use the proper size and shape specified in the instructions.
- To assemble this unit you may be required to place the unit on it's side and face. It is strongly recommended that assembly is done on a soft, non-abrasive surface to avoid damaging the finish.

NOTES ON USE:


Keep children and others safe by following these simple rules:

- **Do not** allow any child to play on furniture
- **Do not** allow climbing on any piece of furniture.
- **Do not** allow hanging from any piece of furniture.
- Always monitor your child's activity when in the nursery.

NOTES ON CARE AND MAINTENANCE:

- **Do not** scratch or chip the finish.
- Inspect the product periodically, contact C&T International Inc. for replacement parts or questions.
- **Do not** store the product or any parts in extreme temperatures and conditions such as a hot attic or a damp, cold basement. These extremes can cause a loss of structural integrity.
- To preserve the luster of the high quality finish on your product, it is recommended to place a doily or felt pad under any items you place on the finish.
- Clean with a damp cloth, then a dry cloth to preserve the original luster and beauty of this fine finish.
- Do not** use abrasive chemicals.
- Do not** spray cleaners directly onto furniture.
- Lift slightly when moving on carpeting to prevent leg breakage.
- Use of a vaporizer near furniture will cause wood to swell and finish to peel.

Crib Assembly Parts




(A): Left Side Frame (x1)



(A1): Left -Front Post (x1)




(A2): Left -Back Post (x1)




(B) Back Side Frame (x1)



(C) Front Side Frame (x1)




(D) Front&Back Contoured Top (x2)




(F) Metal Mattress Support (x1)


PARTS LIST FOR **CHANGER/DRESSER** ASSEMBLY



(H) Middle Panel (x1)




(I) Right End (x1)




(J) Top Shelf (x1)



(K) Middle Panel (x1)




(L) Adjustable Shelf (x2)




(M) Bottom Shelf (x1)




(N) Changer Pad (x1)




(O1) Back Decorative Panel (x 1)



(O2) Back Support Bar Bolt Ends (x1)




(O3) Small Front Contoured Top (x1)




(O4) Support Bar For Contoured Top

Crib Assembly Parts


PARTS LIST FOR **CHANGER/DRESSER** ASSEMBLY




(O5) Front - Middle Bar
with Bolt Ends(x1)



(O6) Front - Middle Bar (x1)




(O7) Front - Bottom Bar (x1)



(O8) Middle - Bottom Bar (x1)


PARTS LIST FOR **DRAWER** ASSEMBLY




(P): Drawer Front (x3)




(Q) Knob (x3)




(R) Drawer Right (x3)



(S) Drawer Left (x3)




(T) Drawer Back (x3)




(U): Drawer Bottom Shelf (x3)



HARDWARE LIST




(HA) M6 x 85mm Allen bolt (x2)





(HD) M6 x 17mm Allen bolt (x4)



(HB) M6 x 75mm Allen bolt (x1)




(HE) M6 x 45mm Allen bolt (x26)




(HC) M6 x 65mm Allen bolt (x1)



(HF): 22mm Screws for knobs (x3)



(HG): 25mm Phillips Screws (x24)



(HH) Shelf Support
Brackets (x8)



(HI) Wood Dowel (x15)



(HL) Special Bolt (x1)



(HN) Allen Wrench



Tool required


Crib Assembly Steps

Step 1 **DRAWER ASSEMBLY**

Parts Needed: refer to page 6, "Parts List For DRAWER ASSEMBLY".


Phillips screw driver needed for tightening (HG) screws

Fig. 1



1. Working on a padded, flat surface, attach drawer sides(R&S) to Drawer Back (T) with four Philips Head Screw (HG), see *Fig 1*. Tighten Screw (HG) half way only to leave room for adusting when fitting drawer panel.


Fig. 2



2. Slide Drawer Bottom(U) into drawer assembly, see *Fig 2*.

Make sure Panel is inserted all the way to the back tighten screws all the way.


Fig. 3



3. Secure both side of drawer front(P) to Drawer assembly with four(4) Philips Head Screw (HG), see *Fig 3*.

Check All screws for tightness.

Fig. 4




4. Using Drawer Knob Screw(HF), install one Knob(Q) on Drawer, see *Fig 4*.

Step 2 CHANGER/DRESSER ASSEMBLY


Parts Needed: refer to "PARTS LIST FOR CHANGER/DRESSER ASSEMBLY"

Fig. 5




1. Slide 1 Wood Dowel(HI) into each end of Parts (O1&O2), Then attach Decorative Support Bar(O1) and Back Support Bar (O2) to Right End (I) using 3 Bolts(HE). See Fig.5

Fig. 6




2. Slide 1 Wood Dowel(HI) into each end of Part (O7) and 2 Wood Dowel(HI) into each end of Part (O8). then Insert Contoured top(O3)&Support Bar O4;O5;O6;O7 and O8 into Right End (I) using 4 Bolts (HE) See Fig. 6

Fig. 7



3. Slide (M) into grooves of O2 and O8 Slide (J) into grooves of O4 and lower grooves of O1. See Fig. 7

Fig. 8




4. Put the Right Ends on ground, then Insert Middle Panel (K) into Right End (I), See Fig. 8

Step 3 **CHANGER/DRESSER ASSEMBLY**


Parts Needed: refer to "PARTS LIST FOR CHANGER/DRESSER ASSEMBLY"

Fig. 9




6. Attach Middle Panel(H) with each support bar and secure with 6 Bolts (HE). See Fig 9.

Fig. 10



7. Insert Shelf Support Brackets (HH) into holes in back of dresser, See Fig10.

Fig. 11



8. Insert Shelf(L) into Support brackets. see Fig11

Step 4 CRIB ASSEMBLY

Fig. 12





Fig. 13

1. Slide 1 Wood Dowel(HI) into each end of Front & Back Frame (B&C). See Fig.12

2. Put Back Contoured Top(D) to Side Frame (B&C) and then Attach Side Frame (B&C) to change table secure to top and bottom with 4 Bolts(HE) and a Special Bolt (HL). See Fig.13




Fig. 14





Fig. 14a

3. Attach the Post (A1&A2) to Left Side Frame(A) as Fig.14.
Then attach the Left Side Frame (A) with Posts to Crib using 8 Bolts(HE) as Fig.14a

Step 5 MATTRESS SUPPORT ASSEMBLY



Insert three (3) drawers into changer.

Add changing pad (N) to top of organizer.

⚠ Important : Tighten all bolts before use your Crib.


Changing Pad Assembly

⚠ Important : If changing pad and safety belt are assembled, make sure warnings are facing up and visible. If not, reassemble by following the steps below.

1. Locate safety belt bolted to dresser top. Insert safety belt through slit in changing pad from back of pad. *Figure 1.*

2. Pull through front of pad completely. Make sure pad is facing up and warnings are always visible. *Figure 2.*

3. Make sure that safety belt is fastened around child, and adjusted so safety belt is snug around child's mid-section. Make sure buckle is securely latched. *Figure 3.*



Disassembling Crib For Storage

To disassemble crib for storage, follow assembly steps in reverse.

Store all parts and hardware together in a safe place. Store the instruction manual in the supplied envelope attached to the mattress support assembly for future reference for re-assembly.



Converting to a Toddler Bed (Optional)

Follow all instructions supplied with the 129/151# Toddler Rail System. **NOTE:** 129/151# Toddler Rail System is not included. Please see your crib retailer, visit WWW.Sorellefurniture.com or contact C&T International / Sorelle for more information.

Additional Parts and Hardwares (129/151# Toddler Rail System Not included, sold separately)


Parts List

No	Qty	Description
A	1	Toddler rail
A1	1	Support bar of Toddler rail
B	3	Bolt 42mm
C	4	Bolt 65mm
D	4	Barrel Nuts
E	1	Allen key




Fullsize Bed Conversion (Optional)

Additional Parts and Hardware (228# Adult Rail System Not included, sold separately)



(R) Bed Rails (x2)




(S) Cross Slat x4




(W) Additional Right Post
For Footboard (x1)




(V) Additional Left - Rear Post
For Changer table alone (x1)




c. Flat Washer x 8



d. Screw x16



e. M6 x 17mm Allen bolt (x4)



f. M6 x 75mm Allen bolt x4



g. Nuts x4

Follow all instructions supplied with the 228# Adult Rail System. **NOTE:** 228# Adult Rail System is not included. Please see your crib retailer, visit WWW.Sorellefurniture.com or contact C&T International / Sorelle for more information.